	Application No.	Applicant(s)
Mada, af Allania Lillani	10/717,281	NAWATA ET AL.
Notice of Allowability	Examiner	Art Unit
	Ngoc-Yen M. Nguyen	1793
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>October 30, 2007</u> .		
2. Mark The allowed claim(s) is/are 1-14.		
 3.		
1. 🖸 Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
	•	
		•
Attachment(s)	_	
1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal P	, ,
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Da	
3. Information Disclosure Statements (PTO/SB/08),	7. Examiner's Amendr	
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.	
	- **** 	
•		

DETAILED ACTION

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on October 30, 2007 has been entered.

The declaration under 37 CFR 1.132 filed October 30, 2007 is sufficient to overcome the rejection of claims 1-14 based upon JP 11-021,197.

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: the prior art does not teach or suggest an as-grown single crystal of alkaline earth metal fluoride, produced by a single crystal pulling method, with a light transmittance, as measured at a wavelength of 632.8 nm, of not less than 80%. As shown in the Declarations, filed June 25, 2007 and October 30, 2007, single crystal formed by a different method, i.e. by Bridgeman-Stockburger method, does not have the required light transmittance, even after annealing treatment (note Comparative Experiment I in the Declaration filed June 25, 2007). Also, single crystal formed by the pulling method as claimed, in the presence of the lid 14 (note the Declaration filed October 30, 2007) but without the barrier 13,

Application/Control Number:

10/717,281 Art Unit: 1793

does not have the claimed light transmittance, even after annealing treatment (note Comparative Experiment II in the Declaration filed June 25, 2007). The Comparative Experiment II effectively shows that the light transmittance is not inherently achieved from the pulling method if the barrier 13 was not present, as in the case of JP 11-02117.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ngoc-Yen M. Nguyen whose telephone number is (571) 272-1356. The examiner can normally be reached on Part time.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stanley Silverman can be reached on (571) 272-1358. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number:

10/717,281

Art Unit: 1793

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Ngoc-Yen M. Nguyen
Primary Examiner
Art Unit 1793

nmn December 26, 2007